

MATERIAL SAFETY DATA SHEET

ADVANCE TRAFFIC MARKINGS

Product Name: ADA MAT
Product Code No.: 19-391, 19-392, 19-393, 19-191, 19-192,
19-193, 19-194

Page: 1 of 3
Issue Date: Jan. 19, 2009

MANUFACTURER:

PATCH RUBBER COMPANY
P.O. BOX H
ROANOKE RAPIDS, N.C. 27870

TELEPHONE: (252) 536-2574

Call CHEM TEL only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals.
(800) 255-3924 North America
(813) 248-0585 (Collect) International

HEALTH EMERGENCIES:
Call LOS ANGELES Poison Information Center
(24 hrs.) 1-800-356-3129

PRODUCT IDENTIFICATION

PRODUCT NAME: ADA MAT
DOT PROPER SHIPPING NAME: N/A
ID NUMBER: N/A
DOT HAZARD CLASSIFICATION: N/A

SECTION I - HAZARDOUS COMPONENTS

Components	Percent	Exposure Limits	Units	Agency	Type
------------	---------	-----------------	-------	--------	------

NOT APPLICABLE

This vulcanized rubber meets the definition for an article.

SECTION II - EMERGENCY & FIRST AID PROCEDURES ***EMERGENCY*******
Have a physician call Los Angeles
POISON INFORMATION CENTER (24 hrs.)
1-800-356-3129

NOT APPLICABLE

SECTION III - HEALTH HAZARDS/ROUTES OF ENTRY

NOT APPLICABLE

Product Code No.: 19-391, 19-392, 19-393, 19-191, 19-192,
19-193, 19-194

Issue Date: Jan. 19, 2009

SECTION IV - SPECIAL PROTECTION INFORMATION

NOT APPLICABLE

SECTION V - REACTIVITY DATA

NOT APPLICABLE

SECTION VI - SPILL OR LEAK PROCEDURES **HIGHWAY /RAILWAY SPILLS**

CALL CHEM TEL 1-800-255-3924 North America
Collect) 1-813-248-0585 International

This material, if discarded, is not defined as hazardous by 40CFR 261. Disposal Method: Incinerate or landfill in accordance with applicable federal, state, and local law or regulation.

SECTION VII - STORAGE AND SPECIAL PRECAUTIONS

No special handling or storage requirements indicated.

SECTION VIII - FIRE & EXPLOSION HAZARD DATA

FLASH POINT: Not applicable.

FLAMMABLE LIMITS IN AIR: N/A

EXTINGUISHING MEDIA: Water, foam, dry chemical, carbon dioxide.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

Product Code No.: 19-391, 19-392, 19-393, 19-191, 19-192,
19-193, 19-194

Issue Date: Jan. 19, 2009

SECTION IX - PHYSICAL DATA

APPROX. BOILING POINT: N/A VAPOR DENSITY (AIR = 1): N/A

VAPOR PRESSURE: N/A EVAPORATION RATE (N-BUTYL ACETATE = 1) N/A

% VOLATILE: N/A % SOLUBILITY IN WATER: N/A

SPECIFIC GRAVITY: N/A APPEARANCE: Vulcanized Rubber

ODOR: Characteristic rubber odor.

SECTION X - DOCUMENTARY INFORMATION

ISSUE DATE: 1/19/09	PRODUCT CODE NO:	19-391, 19-392, 19-393 19-191, 19-192, 19-193, 19-194
PREV. DATE: 2/9/07	PREV. PROD. CODE NO:	19-391, 19-392, 19-393 19-191, 19-192, 19-193 19-194
MSDS NO: 0222	PREV. MSDS NO:	0222

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

PREPARED BY: Marlo Carter